

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

GCSE CHEMISTRY

H

Higher Tier Paper 1

Monday 22 May 2023

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	



J U N 2 3 8 4 6 2 1 H 0 1

0 1

Discoveries in chemistry led to a better understanding of atomic structure.


0 1 . 1

Atoms were originally thought to be tiny spheres that could not be divided.

The plum pudding model of the atom was then developed.

Figure 1 represents the plum pudding model of the atom.

Figure 1



Describe the plum pudding model of the atom.

[2 marks]

0 1 . 2

Atoms contain electrons, neutrons and protons.

Write these three particles in order of their discovery.

[1 mark]

Earliest _____

Latest _____



Very few atoms of the element tennessine (Ts) have ever been identified.

The atomic number of tennessine is 117

0 1 . 3

Predict the number of outer shell electrons in an atom of tennessine.

Give **one** reason for your answer.

Use the periodic table.

[2 marks]

Number of outer shell electrons _____

Reason _____

0 1 . 4

Tennessine was first identified by a small group of scientists in 2010.

Suggest **one** reason why tennessine was **not** accepted as a new element by other scientists until 2015.

[1 mark]

Question 1 continues on the next page

Turn over ►



0 1 . 5

The discovery of isotopes explained why some relative atomic masses are not whole numbers.

Element **R** has two isotopes.

Table 1 shows the mass numbers and percentage abundances of the isotopes of element **R**.

Table 1

Mass number	Percentage abundance (%)
6	7.6
7	92.4

Calculate the relative atomic mass (A_r) of element **R**.

Give your answer to 1 decimal place.

[3 marks]

Relative atomic mass (1 decimal place) = _____

9



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0 2

This question is about temperature changes.

A student investigated the change in temperature of a solution when different masses of ammonium nitrate were dissolved in water.

This is the method used.

1. Measure 200 cm³ of water into a polystyrene cup.
2. Measure the temperature of the water.
3. Add 4.0 g of ammonium nitrate to the water.
4. Stir the solution until all the ammonium nitrate has dissolved.
5. Measure the lowest temperature reached by the solution.
6. Repeat steps 1 to 5 with different masses of ammonium nitrate.

0 2 . 1

Give the independent variable and the dependent variable in the investigation.

[2 marks]

Independent variable _____

Dependent variable _____

Table 2 shows the results.

Table 2

Mass of ammonium nitrate added in grams	Lowest temperature of solution in °C
4.0	18.2
8.0	16.2
12.0	15.2
16.0	13.6
20.0	12.4
24.0	10.6




0 2 . 2 Plot the data from **Table 2** on **Figure 2**.

Draw a line of best fit.

[3 marks]

Figure 2



0 2 . 3 Determine the initial temperature of the water.

You should extend your line of best fit on **Figure 2**.

[2 marks]

Initial temperature of the water = _____ °C

0 2 . 4 How do the results show that dissolving ammonium nitrate in water is endothermic?

[1 mark]

Turn over ►



The student repeated the experiment three more times.

Table 3 shows the results for 8.0 g of ammonium nitrate.

Table 3

	Trial 1	Trial 2	Trial 3	Trial 4	Mean
Lowest temperature of solution in °C	16.2	16.6	16.8	16.4	16.5

0 2 . 5

The student recorded the mean lowest temperature of the solution for 8.0 g of ammonium nitrate as 16.5 ± 0.3 °C.

Explain why the student included ± 0.3 °C after the mean lowest temperature.

[2 marks]

0 2 . 6

What type of error is shown by the results in **Table 3**?

[1 mark]

Tick (✓) **one** box.

Random error

☐

Systematic error

☐

Zero error

☐


Plan a method to make pure, dry crystals of zinc chloride from zinc carbonate and a dilute acid.

[illegible]

8

0 4

This question is about hydrogen and compounds of hydrogen.

Figure 3 shows the displayed formulae for the reaction between hydrogen and chlorine.

Figure 3



Table 4 shows the bond energies.

Table 4

Bond	H — H	Cl — Cl	H — Cl
Bond energy in kJ/mol	436	346	432

0 4

. 1

Which expression shows how to calculate the overall energy change for the reaction in **Figure 3**?

Use **Table 4**.

[1 mark]

Tick (✓) **one** box.

436 + 346 + 432 kJ/mol

☐

436 + 346 + (2 × 432) kJ/mol

☐

436 + 346 – 432 kJ/mol

☐

436 + 346 – (2 × 432) kJ/mol

☐


The reaction between hydrogen and chlorine is exothermic.

0 4 . 2

Explain why this reaction releases energy to the surroundings.

[2 marks]

0 4 . 3

Figure 4 shows part of a reaction profile for the reaction between hydrogen and chlorine.


Complete the reaction profile in **Figure 4**.

You should:

- label the activation energy
- label the overall energy change.

[3 marks]

Figure 4



Question 4 continues on the next page

Turn over ►



0	4	.	4
---	---	---	---

Draw a dot and cross diagram for a molecule of hydrogen chloride (HCl).

Show the outer shell electrons only.


[2 marks]




0 4 . 5 **Figure 5** represents molecules of methane and of poly(ethene).

Figure 5

Methane



Poly(ethene)



Methane is a gas at room temperature but poly(ethene) is a solid at room temperature.

Explain why methane and poly(ethene) exist in different states at room temperature.

[4 marks]

12

Turn over for the next question

Turn over ►



0 5

This question is about acids and alkalis.

0 5 . 1

Ethanoic acid is a weak acid.

What is meant by 'weak acid'?

Answer in terms of ionisation.

[1 mark]

0 5 . 2

The concentration of an acid can be measured in mol/dm^3 .Which combination of changes **increases** the concentration of an acid?

[1 mark]

Tick (✓) **one** box.

The mass of acid dissolved is halved and the volume of the solution is halved.

☐

The mass of acid dissolved is halved and the volume of the solution is doubled.

☐

The mass of acid dissolved is doubled and the volume of the solution is halved.

☐

The mass of acid dissolved is doubled and the volume of the solution is doubled.

☐

0 5 . 3

The concentration of an acid can be determined by titration.

An indicator is added to an alkali in a flask.

Name an indicator that can be used in this titration.

Give the colour change of the indicator when acid from a burette is added to the alkali in the flask.

[2 marks]

Name of indicator _____

Colour change from _____ to _____



0 5 . 4

Sodium carbonate dissolves in water to produce an alkaline solution.


Give the formula of the ion that makes a solution alkaline.

[1 mark]

0 5 . 5

A student does a titration using sodium carbonate solution and nitric acid.

The equation for the reaction is:



25.0 cm³ of 0.124 mol/dm³ sodium carbonate solution is neutralised by 23.6 cm³ of nitric acid.

Calculate the concentration of the nitric acid.

Give your answer to 3 significant figures.

You should calculate:

- the number of moles of sodium carbonate in 25.0 cm³ of the solution
- the number of moles of nitric acid in 23.6 cm³ of the nitric acid
- the concentration of the nitric acid in mol/dm³.

[5 marks]

Concentration (3 significant figures) = _____ mol/dm³

Turn over ►



When hydrochloric acid dissolves in water, hydrogen ions (H^+) and chloride ions (Cl^-) are produced.

0 5 . 6

A solution of hydrochloric acid with pH 4.5 has a concentration of H^+ ions of $3.16 \times 10^{-5} \text{ mol/dm}^3$.

What is the concentration of H^+ ions in a solution of hydrochloric acid with pH 2.5?

[1 mark]

Concentration of H^+ ions = _____ mol/dm^3

0 5 . 7

Which element has atoms that have the same electronic structure as the chloride ion?

Use the periodic table.

[1 mark]

12



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0 6


This question is about uses of metals in electrical wires.

Electrical wires can be made from:


- aluminium
- copper
- silver.

Figure 6 shows three uses of electrical wires.


Figure 6



Overhead power cables



Wiring in homes



Printed circuit boards

Table 5 shows information about the metals.

The higher the value for electrical conductivity, the better the metal is at conducting electricity.

Table 5

	Aluminium	Copper	Silver
Electrical conductivity in arbitrary units	37.7	59.6	63.0
Density in g/cm ³	2.7	9.0	10.5
Cost of metal per kg in £	1.50	7.00	640.00



0 6 . 1

Evaluate the use of aluminium, copper and silver for the types of electrical wires shown in **Figure 6**.

Use **Table 5**.

[4 marks]

0 6 . 2

Describe how metals conduct electricity.

[3 marks]

Question 6 continues on the next page

Turn over ►



0	6	.	3
---	---	---	---

Electrical wires are usually made of pure metals and **not** alloys. This is because pure metals are better electrical conductors.

Suggest why alloys do **not** conduct electricity as well as pure metals.

Answer in terms of structure and bonding.

[2 marks]

—
9



0	7
---	---

This question is about electrolysis.

Aluminium is manufactured by electrolysis of a molten mixture of aluminium oxide (Al_2O_3) and cryolite (Na_3AlF_6).

0	7	.	1
---	---	---	---

Complete the half equation for the reaction occurring at the negative electrode.

[1 mark]



0	7	.	2
---	---	---	---

Cryolite contains Na^+ ions as well as Al^{3+} ions.

Suggest **one** reason why sodium is **not** a product of the electrolysis.

[1 mark]

Question 7 continues on the next page


Turn over ►



A student investigated the electrolysis of an aqueous solution of a different compound.

Figure 7 shows the apparatus.

Figure 7



Hydrogen was produced at the negative electrode and oxygen was produced at the positive electrode.

0 7 . 3

Explain how oxygen was produced from water during the electrolysis of this aqueous solution.

[4 marks]

0 7 . 4

The student compared the volumes of the two gases collected.

How can the student change the apparatus in **Figure 7** to compare the volumes of the two gases produced more accurately?

Give **one** reason for your answer.


[2 marks]

Change _____

Reason _____

0 7 . 5

The overall equation for the reaction is:



What is the volume of oxygen produced when 20 cm³ of hydrogen has been produced?

[1 mark]

Tick (✓) **one** box.

10 cm³ ☐

20 cm³ ☐

30 cm³ ☐

40 cm³ ☐

9

Turn over ►



0	8
---	---

This question is about elements in the periodic table.

0	8	.	1
---	---	---	---

Argon has the atomic number 18

Explain why argon does **not** form compounds.

Answer in terms of electrons.

[2 marks]

0	8	.	2
---	---	---	---

Phosphorus (P) is the element below nitrogen in the periodic table.

Predict the formula of the compound formed between phosphorus and hydrogen.

[1 mark]

Formula = _____

0	8	.	3
---	---	---	---

Tellurium is the element with atomic number 52

Predict whether tellurium reacts with metals.

Explain your answer.

Answer in terms of the position of tellurium in the periodic table.

[2 marks]



Barium (Ba) is an element in Group 2 of the periodic table.

Barium reacts with hydrochloric acid.

0 8 . 4

Suggest **two** observations that could be made when barium reacts with hydrochloric acid.

[2 marks]

1 _____

2 _____

0 8 . 5

Write a balanced symbol equation for the reaction between barium and hydrochloric acid.

[3 marks]

_____ + _____ → _____ + _____

10

Turn over for the next question

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**




0 9

This question is about displacement reactions.

Iron is extracted from iron oxide by a displacement reaction with carbon.

The equation for the reaction is:

**0 9 . 1**

Which substance in the equation is reduced?

Give **one** reason for your answer.

Answer in terms of oxygen.

[2 marks]

Substance reduced _____

Reason _____

0 9 . 2

Which expression shows how to calculate the mass of carbon needed to produce 1 mole of iron from iron oxide?

Relative atomic mass (A_r): C = 12

[1 mark]

Tick (✓) **one** box.

$$\frac{1}{3} \times 12 \text{ g}$$

☐

$$\frac{3}{2} \times 12 \text{ g}$$

☐

$$1 \times 12 \text{ g}$$

☐

$$3 \times 12 \text{ g}$$

☐

Question 9 continues on the next page

Turn over ►



A student investigated displacement reactions of four different metals represented by **A**, **B**, **C** and **D**.

A, **B**, **C** and **D** are **not** the actual chemical symbols for the metals.

The student:


- added each metal to aqueous solutions of the metal nitrates
- observed whether a reaction took place.

Table 6 shows information about three of the reaction mixtures.

Table 6

Reaction	Metal	Metal nitrate solution	Equation
1	A	BNO₃	A + 2BNO₃ → 2B + A(NO₃)₂
2	C	A(NO₃)₂	2C + 3A(NO₃)₂ → 3A + 2C(NO₃)₃
3	C	D(NO₃)₂	no reaction

0 9 . 3 The ionic equation for **Reaction 1** is:



Why is this a redox reaction?

[1 mark]

Tick (✓) **one** box.

A gains electrons and **B⁺** loses electrons.

☐

A loses electrons and **B⁺** gains electrons.

☐

Both **A** and **B⁺** gain electrons.

☐

Both **A** and **B⁺** lose electrons.

☐


0 9 . 4

Which of the four metals has the greatest tendency to form positive ions?

Use **Table 6**.

[1 mark]

Tick (✓) **one** box.

A ☐

B ☐

C ☐

D ☐

0 9 . 5

The nitrate ion has the formula NO_3^-

Which of the four metals could be aluminium?

Explain your answer.

Use **Table 6**.

[3 marks]

Metal _____

Explanation _____

Question 9 continues on the next page


Turn over ►



0 9 . 6

Metal **X** is extracted from an oxide of metal **X** by reaction with hydrogen.

The equation for the reaction is:



The percentage atom economy for obtaining metal **X** by this method is 77.3%.

Calculate the relative atomic mass (A_r) of metal **X**.

Relative atomic masses (A_r): H = 1 O = 16

[4 marks]

Relative atomic mass (A_r) = _____

12



1	0
---	---

This question is about titanium dioxide (TiO_2).

1	0
---	---

1

Self-cleaning windows are coated with a layer of nanoparticles of titanium dioxide.

Titanium dioxide:

- helps sunlight break down dirt particles
- attracts water, so dirt is washed away by rain.

Nanoparticles of titanium dioxide are used instead of fine particles of titanium dioxide for coating self-cleaning windows.

Suggest **two** reasons why.

[2 marks]

1 _____

2 _____

Question 10 continues on the next page

Turn over ►



8



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



[illegible]

